

CENTAUR



5 & 6 HORSE HOT WALKER Concrete & Electrical Installation Diagrams

5761 RIDGEVIEW AVENUE
MIRA LOMA, CALIFORNIA 91752
(951) 685-7337 FAX (951) 685-0341
1-800-962-8050
www.hotwalkers.com
E-Mail: centaur@hotwalkers.com

Revised 03/2005



Centaur Horse Walkers, Inc.

5761 Ridgeview Avenue


Mira Loma, Ca 91752

(951) 685-7337 • (951) 685-0341 Fax

1-800-962-8050

www.hotwalkers.com

CENTAUR STANDARD 6 HORSE WALKER CONCRETE PAD INSTALLATION



Center Point for Concrete Anchor Bolts:

A to B = 57 1/2"

C to D = 57 1/2"

A to C = 46 1/2"

B to D = 46 1/2"

Diagonals From Anchor Bolt To Anchor Bolt:

A to D = 74 1/2"

B to C = 74 1/2"

Anchor bolts are 3/4" in diameter & can be either 18" or 24" in length

NOTE: The dimensions are from the BOLTS, not the slab.

Pad should be 6' X 6' Square, 3" Below Grade, and 3" Above Grade



Centaur Horse Walkers, Inc.

5761 Ridgeview Avenue

Mira Loma, Ca 91752


(951) 685-7337 • (951) 685-0341 Fax

1-800-962-8050

www.hotwalkers.com

BASE/PAD MEASUREMENTS

SIDE PANEL



The above measurements are actual machine measurements

Center Point for Concrete Anchors Bolts: SIDE PANEL

A to B = 57 1/2"

C to D = 57 1/2"

A to C = 46 1/2"

B to D = 46 1/2"

Diagonals From Anchor Bolt To Anchor Bolt:

A to D = 74 1/2"

B to C = 74 1/2"

Anchor bolts are 3/4" in diameter & can be either 18" or 24" in length

NOTE: The dimensions are from the BOLTS, not the slab.

Pad should be 6' X 6' Square, 3" Below Grade, and 3" Above Grade



Centaur Horse Walkers, Inc.

5761 Ridgeview Avenue

Mira Loma, Ca 91752


(951) 685-7337 • (951) 685-0341 Fax

1-800-962-8050

www.hotwalkers.com

ELECTRICAL DIAGRAM

SIDE PANEL



Install 3/4" PVC Conduit Schedule 40

Line A: 3 wires 10 gauge, (black, black, green, 220 Volt)

NOTE: The dimensions are from the BOLTS, not the slab.



Centaur Horse Walkers, Inc.

5761 Ridgeview Avenue

Mira Loma, Ca 91752

(951) 685-7337 • (951) 685-0341 Fax

1-800-962-8050

www.hotwalkers.com

220 Volt Electrical Diagram

